

# REAR AXLE OIL SAE 75W-90



## SAFETY DATA SHEET

Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

ISSUE DATE: 11.11.2014  
REVISION DATE: 19.12.2022  
SUPERSEDES: 13.03.2020  
**VERSION: 4.0**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Rear Axle Oil SAE 75W-90  
Product code : Ford Int. Ref. No.: 140295  
SDS Number : 7881  
Product use : Professional use

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Function or use category : Transmission, Axle and Power Steering Fluids

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Ford-Werke GmbH  
Edsel-Ford-Str. 2-14  
50769 Cologne  
Germany  
+49 221 90-33333  
sdseu@ford.com

##### Distributor

Ford Motor Company Ltd.  
Parts Distribution Centre  
Royal Oak Way South  
NN11 8NT Daventry, Northants  
United Kingdom  
+44 1327 305 198

#### 1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

##### Labelling according to The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations

EUH-statements  
EUH208 - Contains Polysulfides, di-tert-Bu, Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) . May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Comments : Synthetic base

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Notes
Polysulfides, di-tert-Bu	68937-96-2 273-103-3 - 01-2119540515-43-XXXX	1 < 5	Skin Sens. 1B, H317 Aquatic Chronic 3, H412	( 46 ≤C ≤ 100) Skin Sens. 1B, H317 UVCB
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)	N/A 931-384-6 - 01-2119493620-38-XXXX	1 < 2	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411	( 9.39 ≤C < 100) Skin Sens. 1, H317 ( 50 <C ≤ 100) Eye Irrit. 2, H319 UVCB

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Wash contaminated clothing before reuse.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a physician if symptoms develop or persist.
First-aid measures after skin contact	: Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist if irritation persists.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting without medical advice. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction. Defatting, drying and cracking of skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Alcohol resistant foam. dry chemical powder. carbon dioxide (CO2).
Unsuitable extinguishing media	: Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Pressurised container: May burst if heated.
Hazardous decomposition products in case of fire	: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.

### 5.3. Advice for firefighters

Precautionary measures fire	: In case of fire: evacuate area. Use standard firefighting procedures and consider the hazards of other involved materials.
-----------------------------	------------------------------------------------------------------------------------------------------------------------------

Firefighting instructions	: Move containers from fire area if it can be done without personal risk. Fight fire remotely due to the risk of explosion.
Protection during firefighting	: Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. EN 469.
Other information	: Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep unnecessary personnel away.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS.

Emergency procedures : Evacuate area. Do not touch or walk on the spilled product. If spilled, may cause the floor to be slippery. Keep people away from and upwind of spill/leak. Keep out of low areas. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

#### 6.1.2. For emergency responders

Protective equipment : For personal protection, see section 8 of the SDS.

### 6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.

### 6.3. Methods and material for containment and cleaning up

For containment : Prevent product from entering drains. Dispose of waste in accordance with environmental legislation.

Methods for cleaning up : Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water. Small spills: Stop leak without risks if possible. Wipe up with absorbent material (for example cloth). Clean surface thoroughly to remove residual contamination.

Other information : Never return spills in original containers for re-use. Environmental manager must be informed of all major releases.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 : "Disposal considerations".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Avoid contact with skin and eyes.

Precautions for safe handling : Avoid breathing mist or vapor. Avoid contact with skin, eyes and clothing. Avoid prolonged exposure. Do NOT taste or swallow. Do not eat, drink or smoke when using this product. Provide adequate ventilation. Wash hands immediately after handling the product. Avoid release to the environment. For personal protection, see section 8 of the SDS.

Hygiene measures : Observe good industrial hygiene practices.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in accordance with local/regional/national/international regulation. Keep out of reach of children. Do not handle, store or open near an open flame, sources of heat or sources of ignition.

Incompatible materials : Store away from incompatible materials (see Section 10 of the SDS).

Heat and ignition sources : Do not handle, store or open near an open flame, sources of heat or sources of ignition.

Storage area : Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

### 7.3. Specific end use(s)

Transmission, Axle and Power Steering Fluids.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

##### Polysulfides, di-tert-Bu (68937-96-2)

---

###### DNEL/DMEL (Workers)

Long-term - systemic effects, dermal 3.33 mg/kg bodyweight/day

Long-term - systemic effects, inhalation 14.5 mg/m<sup>3</sup>

###### DNEL/DMEL (General population)

Long-term - systemic effects, inhalation 2.6 mg/m<sup>3</sup>

Long-term - systemic effects, dermal 1.66 mg/kg bodyweight/day

###### PNEC (Water)

PNEC aqua (freshwater) 0.24 µg/L

PNEC aqua (marine water) 0.024 µg/L

PNEC aqua (intermittent, freshwater) 0.002 mg/l

###### PNEC (Sediment)

PNEC sediment (freshwater) 0.94 mg/kg dwt

PNEC sediment (marine water) 0.094 mg/kg dwt

###### PNEC (Soil)

PNEC soil 1513 mg/kg dwt

###### PNEC (Oral)

PNEC oral (secondary poisoning) 6.66 mg/kg food

###### PNEC (STP)

PNEC sewage treatment plant 4.51 mg/l

##### Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) (N/A)

---

###### DNEL/DMEL (Workers)

Acute - local effects, dermal 160 µg/cm<sup>2</sup>

Long-term - systemic effects, dermal 12.5 mg/kg bodyweight/day

Long-term - local effects, dermal 160 µg/cm<sup>2</sup>

Long-term - systemic effects, inhalation 4.28 mg/m<sup>3</sup>

###### DNEL/DMEL (General population)

Acute - local effects, dermal 160 µg/cm<sup>2</sup>

Long-term - systemic effects, oral 0.25 mg/kg bodyweight/day

Long-term - systemic effects, inhalation 1.09 mg/m<sup>3</sup>

Long-term - systemic effects, dermal 6.25 mg/kg bodyweight/day

Long-term - local effects, dermal 160 µg/cm<sup>2</sup>

### **PNEC (Water)**

PNEC aqua (freshwater)	2.4 µg/L
PNEC aqua (marine water)	0.24 µg/L
PNEC aqua (intermittent, freshwater)	150 µg/L
PNEC aqua (intermittent, marine water)	15 µg/L

### **PNEC (Sediment)**

PNEC sediment (freshwater)	12.9 µg/kg dw
PNEC sediment (marine water)	1.29 µg/kg

### **PNEC (Soil)**

PNEC soil	1.17 µg/kg
-----------	------------

### **PNEC (Oral)**

PNEC oral (secondary poisoning)	10 mg/kg food
---------------------------------	---------------

### **PNEC (STP)**

PNEC sewage treatment plant	24.33 mg/l
-----------------------------	------------

#### **8.1.5. Control banding**

No additional information available

## **8.2. Exposure controls**

### **8.2.1. Appropriate engineering controls**

#### **Appropriate engineering controls:**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain is recommended.

### **8.2.2. Personal protection equipment**

#### **Personal protective equipment:**

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

#### **8.2.2.1. Eye and face protection**

##### **Eye protection:**

Safety glasses with side shields. EN 166. Wear security glasses which protect from splashes

#### **8.2.2.2. Skin protection**

##### **Skin and body protection:**

Use chemically protective clothing. Long sleeved protective clothing

##### **Hand protection:**

Wear protective gloves. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove. EN 374

<b>Material</b>	<b>Permeation</b>	<b>Thickness (mm)</b>	<b>Comments</b>
Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see <a href="http://www.kcl.de">www.kcl.de</a> ) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see <a href="http://www.kcl.de">www.kcl.de</a> ) or comparable product.

#### **Other skin protection**

##### **Materials for protective clothing:**

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment

#### **8.2.2.3. Respiratory protection**

##### **Respiratory protection:**

In case of inadequate ventilation wear respiratory protection. Type AX - Low-boiling (<65 °C) organic compounds. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

#### 8.2.2.4. Thermal hazards

##### Thermal hazard protection:

Wear appropriate thermal protective clothing, when necessary.

#### 8.2.3. Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.

##### Other information:

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: amber.
Appearance	: Liquid.
Odour	: Oily.
Odour threshold	: No data available No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flammability	: No data available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: > 205 °C Cleveland Open Cup Method
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: No data available
Viscosity, kinematic	: 101 mm <sup>2</sup> /s @ 40 °C
Viscosity, dynamic	: No data available
Solubility	: insoluble in water.
Log Kow	: No data available
Log Pow	: No data available
Vapour pressure	: No data available
Vapour pressure at 50°C	: Not available
Density	: < 1000 kg/m <sup>3</sup> (15 °C)
Relative density	: No data available
Relative vapour density at 20°C	: No data available
Relative gas density	: No data available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
VOC content	: Not applicable

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is stable and non reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerisation: Will not occur.

### 10.4. Conditions to avoid

Contact with incompatible materials. Avoid heat, sparks, open flames and other ignition sources.

### 10.5. Incompatible materials

Strong oxidizing agent.

### 10.6. Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Based on available data, the classification criteria are not met
Acute toxicity (dermal)	: Based on available data, the classification criteria are not met
Acute toxicity (inhalation)	: Based on available data, the classification criteria are not met

<b>Rear Axle Oil SAE 75W-90</b>	
ATE CLP (oral)	> 2000 mg/kg

<b>Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) (N/A)</b>	
ATE CLP (oral)	500 mg/kg bodyweight

Skin corrosion/irritation	: Based on available data, the classification criteria are not met pH: No data available
Serious eye damage/irritation	: Based on available data, the classification criteria are not met pH: No data available
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Based on available data, the classification criteria are not met
Carcinogenicity	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Based on available data, the classification criteria are not met
STOT-single exposure	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Based on available data, the classification criteria are not met
Aspiration hazard	: Based on available data, the classification criteria are not met

<b>Rear Axle Oil SAE 75W-90</b>	
Viscosity, kinematic	101 mm <sup>2</sup> /s @ 40 °C

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

#### 11.2.2. Other information

Potential adverse human health effects and symptoms : Information on Effects: refer to section 4

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Hazardous to the aquatic environment, short-term (acute)	: Based on available data, the classification criteria are not met

Hazardous to the aquatic environment, long-term (chronic) : Based on available data, the classification criteria are not met

## 12.2. Persistence and degradability

### Rear Axle Oil SAE 75W-90

Persistence and degradability Not expected to be rapidly biodegradable.

### Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) (N/A)

Biodegradation 7.4 % (28 d, OECD TG 301 B)

## 12.3. Bioaccumulative potential

### Rear Axle Oil SAE 75W-90

Log Pow No data available  
Log Kow No data available  
Bioaccumulative potential There is no bioaccumulation.

## 12.4. Mobility in soil

### Rear Axle Oil SAE 75W-90

Mobility in soil No data available

## 12.5. Results of PBT and vPvB assessment

### Rear Axle Oil SAE 75W-90

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

Other adverse effects : No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product. An oil film may cause physical damage and disturb the transportation of oxygen in the intermediate zone between air/water or water/air

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Dispose of in accordance with local regulations.  
Waste treatment methods : Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).  
Sewage disposal recommendations : Do not allow this material to drain into sewers/water supplies. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.  
Product/Packaging disposal recommendations : Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.  
European List of Waste (LoW) code : The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.  
13 02 06\* - synthetic engine, gear and lubricating oils  
15 01 10\* - packaging containing residues of or contaminated by dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Not regulated for transport



## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### EU restriction list (REACH Annex XVII)

Reference code	Applicable on
3(b)	Polysulfides, di-tert-Bu ; Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
3(c)	Polysulfides, di-tert-Bu ; Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

VOC content : Not applicable

Other information, restriction and prohibition regulations : Directive 94/33/EC on the protection of young people at work, as amended. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. For details, refer to section 3 and 8.

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out

## SECTION 16: Other information

#### Indication of changes:

Section 2. SECTION 3 : Composition/information on ingredients.

#### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAO	Cargo Aircraft only
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PCA	PASSENGER AND CARGO AIRCRAFT
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN	REACH Registration no.
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
TWA	Time Weighted Average. The average concentration of a chemical in air over the total exposure time-usually an 8-hour

workday.  
VOC Volatile organic compounds  
vPvB Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

#### Full text of H- and EUH-statements

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH208	Contains Polysulfides, di-tert-Bu, Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) . May produce an allergic reaction.
EUH210	Safety data sheet available on request.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

*The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.*



## Attachment to the Safety Data Sheet

**Product Name:** Rear Axle Oil SAE 75W-90

**Ford Int. Ref. No.:** 140295

**Revision Date:** 19.12.2022

---

### Involved Products:

	<b>Finiscode</b>	<b>Part number</b>	<b>Container Size:</b>
.	1 1 547 419	8U7J 19G518 BA	1 l
.	2 2 686 542	NU7J 19G518 AA	1 l