

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment
Regulation (EU) 2020/878

ISSUE DATE: 10.08.2018
REVISION DATE: 19.02.2021
SUPERSEDES DATE: 15.11.2019
VERSION: 1.2

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Cleaner T-VR
Product code	Ford Int. Ref. No.: 200321
SDS Number	4292
Product use	Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Cleaner
Uses advised against	No additional information available.

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Physical hazards	Flammable liquids, Category 2	H225	Highly flammable liquid and vapour.
Health hazards	Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
	Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336	May cause drowsiness or dizziness.
	Aspiration hazard, Category 1	H304	May be fatal if swallowed and enters airways.
Environmental hazards	Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411	Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms



Signal word

Danger

Contains

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Hazard statements

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P261	Avoid breathing vapours.
P273	Avoid release to the environment.
P280	Wear protective gloves

Response

P301+P310	IF SWALLOWED: Immediately call a doctor, a POISON CENTER.
P331	Do NOT induce vomiting.
P312	Call a doctor, a POISON CENTER if you feel unwell.
P391	Collect spillage.

Storage

P403+P235	Store in a well-ventilated place. Keep cool.
-----------	--

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	921-024-6 01-2119475514-35-XXXX	80 – 100	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	UVCB
n-hexane	110-54-3 203-777-6 601-037-00-0 01-2119480412-44-XXXX	1 - < 3	Flam. Liq. 2, H225 Repr. 2, H361f Asp. Tox. 1, H304 STOT RE 2, H373 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411	(5 ≤C < 100) STOT RE 2, H373

Substances of Unknown or Variable composition, Complex reaction products or Biological materials

Full text of H-statements: see section 16

4. SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Call a physician if symptoms develop or persist.

Inhalation

Remove person to fresh air and keep comfortable for breathing. Call a physician if symptoms develop or persist.

Skin contact:	Gently wash with plenty of soap and water. Take off immediately all contaminated clothing. Get medical attention if symptoms occur.
Eyes contact	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately flush eyes thoroughly with water for at least 15 minutes. Get medical attention if symptoms occur.
Ingestion	Rinse mouth out with water. Drink 1 or 2 glasses of water. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects:	May cause drowsiness or dizziness. Aspiration may cause pulmonary oedema and pneumonitis. Skin irritation.
Symptoms/effects after inhalation	May cause drowsiness or dizziness.
Symptoms/effects after skin contact	Causes skin irritation.
Symptoms/effects after eye contact	May cause eye irritation.
Symptoms/effects after ingestion	May be fatal if swallowed and enters airways. Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Do not induce vomiting. Symptoms may be delayed.

5. SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	Do not use a water jet since it may cause the fire to spread.

5.2. Special hazards arising from the substance or mixture

Fire hazard	Highly flammable liquid and vapour.
Hazardous combustion products	Toxic fumes may be released. Carbon oxides (CO, CO ₂).

5.3. Advice for firefighters

Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
---------------------------------------	--

6. SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment	For personal protection, see section 8 of the SDS.
Emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources if safe to do so. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Ventilate spillage area. Local authorities should be advised if significant spillages cannot be contained.

For emergency responders

Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	Keep unnecessary personnel away.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

For containment	Collect spillage.
------------------------	-------------------

Methods for cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Contain or absorb spilled liquid with non-combustible material. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small spills: Wipe up with absorbent material (for example cloth). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.

Other information Eliminate ignition sources. Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil etc) away from spilled material. If possible try to contain floating material. Cover material with sodium carbonate (Na₂CO₃) or 1:1 mixture of soda ash and slaked lime. Collect and dispose of spillage as indicated in section 13. Clean surface thoroughly to remove residual contamination. Product decomposed by water must be neutralized.

6.4. Reference to other sections For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".

7. SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Use only outdoors or in a well-ventilated area.

Hygiene measures Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures Ground/bond container and receiving equipment.

Storage conditions Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Storage temperature 5 – 25 °C

7.3. Specific end use(s) Cleaner.

8. SECTION 8: Exposure controls/personal protection

8.1. Control parameters

EU

Regulation	Substance	Type	Value
COMMISSION DIRECTIVE 2006/15/EC	n-hexane (110-54-3) n-Hexane	IOEL TWA	72 mg/m ³
		IOEL TWA [ppm]	20 ppm

United Kingdom

Regulation	Substance	Type	Value
EH40/2005 (Fourth edition, 2020). HSE	n-hexane (110-54-3) n-Hexane	WEL TWA (OEL TWA) [1]	72 mg/m ³
		WEL TWA (OEL TWA) [2]	20 ppm

DNEL: Derived no effect level

No data available

Components	Type	Route	Value	Form
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	Worker	Dermal	773 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	2035 mg/m ³	Long-term - systemic effects
	Consumer	Oral	699 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	608 mg/m ³	Long-term - systemic effects

		Dermal	699 mg/kg bodyweight/day	Long-term - systemic effects
n-hexane (110-54-3)	Worker	Dermal	11 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	75 mg/m ³	Long-term - systemic effects
	Consumer	Oral	4 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	16 mg/m ³	Long-term - systemic effects
		Dermal	5.3 mg/kg bodyweight/day	Long-term - systemic effects

PNEC: Predicted no effect concentration

No data available

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level

Materials for protective clothing

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment

Individual protection measures, such as personal protective equipment (PPE)

Eye protection

Wear security glasses which protect from splashes. EN 166.

Skin protection

Hand protection

The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove

Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.

Other protective measures

No additional information available.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Comments
Breathing apparatus with filter	ABEK-P2		

Skin and body protection

Wear suitable protective clothing, Long sleeved protective clothing

Thermal hazard protection

No additional information available.

Environmental exposure controls

Avoid release to the environment.

9. SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	Colourless.
Odour	Gasoline.
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point	Not applicable
Freezing point	No data available
Boiling point	85 °C
Flash point	-15.5 °C (closed cup)
Auto-ignition temperature	No data available
Decomposition temperature	No data available

Flammability (solid, gas)	Not applicable
Vapour pressure	85 hPa @ 20°C
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	0.705 g/cm ³ @ 20°C
Solubility	insoluble in water.
Log Pow	No data available
Viscosity, kinematic	0.61 mm ² /s @ 25°C
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	No data available

9.2. Other information

VOC (EU)	100 %
----------	-------

10. SECTION 10: Stability and reactivity

10.1. Reactivity	Reacts with (strong) oxidizers.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid	Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	Strong oxidizers.
10.6. Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways.
Potential adverse human health effects and symptoms	Likely routes of exposure. Inhalation. May cause drowsiness or dizziness. Skin contact : Causes skin irritation. Eye contact : Direct contact with eyes may cause temporary irritation. Ingestion: Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

12. SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	Toxic to aquatic life with long lasting effects.
-------------------	--

Hazardous to the aquatic environment, short-term (acute)

Substance / Product	Trophic level	Species	Type	Value	Duration	Remarks
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	algae	Pseudokirchnerella subcapitata	EL50	30 mg/l	72 h	
	crustacea	Daphnia magna	EC50	3 mg/l	48 h	
	Fish	Oncorhynchus mykiss (Rainbow trout)	LC50	11,4 mg/l	96 h	
n-hexane (110-54-3)	Fish	Fish	LL50	12.51 mg/L	96 h	
	aquatic invertebrates	Daphnia magna	EL50	21.85 mg/L	48 h	
	algae	algae	EL50	9.285 mg/L	72 h	

12.2. Persistence and degradability**Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane**

Persistence and degradability	Readily biodegradable.
Biodegradation	98 % (OECD 301F method)
n-hexane (110-54-3)	
Biodegradation	> 60 %

12.3. Bioaccumulative potential**n-hexane (110-54-3)**

Log Pow	4
----------------	---

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment**Cleaner T-VR**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

No additional information available.

13. SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Regional legislation (waste)	Disposal must be done according to official regulations.
Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	Flammable vapours may accumulate in the container.
Ecology - waste materials	Avoid discharge into drains, water courses or onto the ground.
European List of Waste (LoW) code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
14 06 03*	other solvents and solvent mixtures
15 01 10*	packaging containing residues of or contaminated by dangerous substances

14. SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number

UN-No. (ADR)	1268
UN-No. (IMDG)	1268
UN-No. (IATA)	1268
UN-No. (ADN)	1268
UN-No. (RID)	1268

14.2. UN proper shipping name

Proper Shipping Name (ADR)	PETROLEUM DISTILLATES, N.O.S. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane)
Proper Shipping Name (IMDG)	PETROLEUM DISTILLATES, N.O.S. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane)
Proper Shipping Name (IATA)	Petroleum distillates, n.o.s. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane)
Proper Shipping Name (ADN)	PETROLEUM DISTILLATES, N.O.S. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane)
Proper Shipping Name (RID)	PETROLEUM DISTILLATES, N.O.S. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	3
Danger labels (ADR)	3

IMDG

Transport hazard class(es) (IMDG)	3
Danger labels (IMDG)	3

IATA

Transport hazard class(es) (IATA)	3
Hazard labels (IATA)	3

ADN

Transport hazard class(es) (ADN)	3
Danger labels (ADN)	3

RID

Transport hazard class(es) (RID)	3
Danger labels (RID)	3

14.4. Packing group

Packing group (ADR)	II
Packing group (IMDG)	II
Packing group (IATA)	II
Packing group (ADN)	II
Packing group (RID)	II

14.5. Environmental hazards

Dangerous for the environment	Yes
Marine pollutant	Yes
Other information	No supplementary information available.

14.6. Special precautions for user

Overland transport

Classification code (ADR)	F1
Special provisions (ADR)	640D, 664
Limited quantities (ADR)	1I
Packing instructions (ADR)	P001, IBC02, R001
Hazard identification number (Kemler No.)	33
Tunnel restriction code (ADR)	D/E
EAC code	3YE

Transport by sea

Limited quantities (IMDG)	1 L
Packing instructions (IMDG)	P001
EmS-No. (Fire)	F-E
EmS-No. (Spillage)	S-E
Stowage category (IMDG)	B

Air transport

PCA Excepted quantities (IATA)	E2
PCA Limited quantities (IATA)	Y341
PCA limited quantity max net quantity (IATA)	1L
PCA packing instructions (IATA)	353
PCA max net quantity (IATA)	5L
CAO packing instructions (IATA)	364
CAO max net quantity (IATA)	60L
Special provisions (IATA)	A3
ERG code (IATA)	3H

Inland waterway transport

Classification code (ADN)	F1
Special provisions (ADN)	640D
Limited quantities (ADN)	1 L
Carriage permitted (ADN)	T

Rail transport

Classification code (RID)	F1
Special provisions (RID)	640D
Limited quantities (RID)	1L
Packing instructions (RID)	P001, IBC02, R001
Hazard identification number (RID)	33

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

15. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

Cleaner T-VR ; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane ; n-hexane

3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

Cleaner T-VR ; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane ; n-hexane

Cleaner T-VR ; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane ; n-hexane

Cleaner T-VR ; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane ; n-hexane

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC (EU) 100 %

Other information, restriction and prohibition regulations Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. Directive 94/33/EC on the protection of young people at work, as amended. Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. For details, refer to section 3 and 8.

Seveso Information P5b FLAMMABLE LIQUIDS
 — Flammable liquids Category 2 or 3 where particular processing conditions, such as high pressure or high temperature, may create major-accident hazards, or
 — Other liquids with a flash point ≤ 60 °C where particular processing conditions, such as high pressure or high temperature, may create major-accident hazards

National regulations
 No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. SECTION 16: Other information

Indication of changes

Section 1 - Section 16.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand
bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.

CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand
CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration

NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL	Specific concentration limit.
STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006..

Training advice Normal use of this product shall imply use in accordance with the instructions on the packaging

Full text of H- and EUH-statements

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2.
Asp. Tox. 1	Aspiration hazard, Category 1.
Flam. Liq. 2	Flammable liquids, Category 2.
Repr. 2	Reproductive toxicity, Category 2.
Skin Irrit. 2	Skin corrosion/irritation, Category 2.
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2.
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis.
H225	Highly flammable liquid and vapour..
H304	May be fatal if swallowed and enters airways..
H315	Causes skin irritation..

H336	May cause drowsiness or dizziness..
H361f	Suspected of damaging fertility..
H373	May cause damage to organs through prolonged or repeated exposure..
H411	Toxic to aquatic life with long lasting effects..

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Flam. Liq. 2	H225	On basis of test data
Skin Irrit. 2	H315	Calculation method
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Calculation method
Aquatic Chronic 2	H411	Calculation method

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Cleaner T-VR

Ford Int. Ref. No.: 200321

REVISION DATE: 19.02.2021

Involved Products:

Finiscode	Part number	Container Size:
1 2 341 955	JU7J M5B401 AA	1 l