# **TIM ADHESIVE L1 COMPONENT A**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



ISSUE DATE: 31.05.2021 REVISION DATE: 31.05.2021

VERSION: 1.0

# 1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name TIM Adhesive L1 Component A Product code Ford Internal Ref.: 502251 8425 SDS Number Product use Professional use

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Adhesives, sealants
Uses advised against	Unknown

#### 1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

#### 1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH - 24/7)

### 2. SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008

Environmental Hazardous to the aquatic environment - H411 hazards Chronic Hazard, Category 2

Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms

Signal word Hazard statements

Prevention P273

Response P391

H411



# 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

# 3. SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
Zinc oxide	1314-13-2	20- < 25	Aquatic Acute 1, H400	
	215-222-5		Aquatic Chronic 1, H410	
	030-013-00-7			
	01-2119463881-32- XXXX			

Full text of H- and EUH-statements: see section 16

# 4. SECTION 4: First aid measures

# 4.1. Description of first aid measures

General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
Skin contact:	Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
Eyes contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth thoroughly. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

No additional information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# 5. SECTION 5: Firefighting measures

5.1.	Extinguishing media	
	Suitable extinguishing media	Foam. carbon dioxide (CO2), powder, water spray.
	Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2.	Special hazards arising from the subs	tance or mixture
	Hazardous combustion products	During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO2).
5.3.	Advice for firefighters	
	Precautionary measures fire	Cool containers exposed to heat with water spray and remove container, if no risk is involved.
	Firefighting instructions	Use standard firefighting procedures and consider the hazards of other involved materials.
	Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self- contained breathing apparatus and full protective clothing must be worn in case of fire.

# 6. SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

	For non-emergency personnel		
	Protective equipment	Wear appropriate protective equipment and clothing during clean-up. For further information refer to section 8: "Exposure controls/personal protection".	
	Emergency procedures	Keep people away from and upwind of spill/leak. Keep unnecessary personnel away. Ventilate spillage area. Wear appropriate protective equipment and clothing during clean-up. Local authorities should be advised if significant spillages cannot be contained.	
	For emergency responders		
	Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
	Emergency procedures	Keep unnecessary personnel away.	
6.2.	Environmental precautions	Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases.	

## 6.3. Methods and material for containment and cleaning up

	For containment	Stop the flow of material, if this is without risk. Move containers from fire area if it can be done without personal risk.
	Methods for cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.
	Other information	Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 :" Disposal considerations".
7. SEC	CTION 7: Handling and storage	
7.1.	Precautions for safe handling	
	Precautions for safe handling	Ensure good ventilation of the work station. Avoid release to the environment. Avoid contact with skin, eyes and clothing. Do not breathe vapour/aerosol. Wear personal protective equipment. Protect material from direct sunlight. Observe good industrial hygiene practices.
	Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
7.2.	Conditions for safe storage, including a	iny incompatibilities
	Storage conditions	Store in original tightly closed container. Store tightly closed in a dry, cool and well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
7.3.	Specific end use(s)	Adhesives, sealants.

# 8. SECTION 8: Exposure controls/personal protection

8.1. Control parameters

United Kingdom			
Regulation	Substance	Туре	Value

# United Kingdom

EH40/2005 (Fourth	Aluminium oxides (1344-28-	WEL TWA (OEL TWA) [1]	10 mg/m³ inhalable dust
edition, 2020). HSE	<b>1)</b> Aluminium oxides		4 mg/m <sup>3</sup> respirable dust

# DNEL: Derived no effect level

No data available

8.2.

Components	Туре	Route	Value	Form	
Zinc oxide (1314-13-2	) Worker	Dermal	83 mg/kg bodyweight/day	Long torm overtomic offects	
	) WOIKEI			Long-term - systemic effects	
		Inhalation	5 mg/m <sup>3</sup>	Long-term - systemic effects	
		Inhalation	0.5 mg/m <sup>3</sup>	Long-term - local effects	
	Consumer	Oral	0.83 mg/kg bodyweight/day	Long-term - systemic effects	
		Inhalation	2.5 mg/m <sup>3</sup>	Long-term - systemic effects	
		Dermal	83 mg/kg bodyweight/day	Long-term - systemic effects	
PNEC: Predicted no	effect concentration				
No data available					
Components	Туре	Route	Value	Form	
Zinc oxide (1314-13-2	) Not applicable	Freshwater	20.6 µg/L		
		Seawater	6.1 μg/L		
		sediment	117.8 mg/kg dwt	Freshwater	
		sediment	56.5 mg/kg dwt	Seawater	
		Soil	35.6 mg/kg dwt		
		STP	100 µg/L		
Exposure controls					
Materials for protective clothing		enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective			
Individual protection	measures, such as pe	equipment	tive equipment (PPF)		
Eye protection	nicacaroo, caon ao po	-	s with side shields. EN 166.		
		5			
Skin protection					
Skin protection Hand protection		product and the mechanical st	ves. EN 374. The recommendation ne stated application. Special worki train, which deviate from the test co act provided by the recommended g	ng conditions, like heat or inditions, can reduce the	
-	Permeation	product and the mechanical sign protective effective eff	ne stated application. Special worki train, which deviate from the test co	ng conditions, like heat or inditions, can reduce the	
Hand protection	Permeation 6 (> 480 minutes)	product and the mechanical sign protective effective eff	ne stated application. Special worki train, which deviate from the test co ect provided by the recommended of mm) Comments Glove recommendation:	ng conditions, like heat or inditions, can reduce the	
Hand protection		product and the mechanical sign protective effective eff	ne stated application. Special worki train, which deviate from the test co ect provided by the recommended of <b>nm)</b> Comments Glove recommendation: Cama GmbH, source of comparable product. Glove recommendation:	ng conditions, like heat or inditions, can reduce the glove Camatril Velours® 730 (Kächele-	
Hand protection Material Nitrile rubber (NBR) In case of splash contact: Nitrile rubber	6 (> 480 minutes) 6 (> 480 minutes)	product and ti mechanical si protective effe <b>Thickness (n</b> 0.4 0.4 Always obser handling the r	ne stated application. Special worki train, which deviate from the test co ect provided by the recommended of <b>nm)</b> Comments Glove recommendation: Cama GmbH, source of comparable product. Glove recommendation: Cama GmbH, source of	ng conditions, like heat or inditions, can reduce the glove Camatril Velours® 730 (Kächele- supply see www.kcl.de) or Camatril Velours® 730 (Kächele- supply see www.kcl.de) or es, such as washing after , and/or smoking. Routinely	

Skin and body protection	Wear suitable protective clothing
Thermal hazard protection	Wear appropriate thermal protective clothing, when necessary.
Environmental exposure controls	Inform appropriate managerial or supervisory personnel of all environmental releases.

# 9. SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

	Physical state	Liquid
	Appearance	Paste.
	Colour	dark grey.
	Odour	Not specified.
	Odour threshold	No data available
	рН	No data available
	Relative evaporation rate (butylacetate=1)	No data available
	Melting point	No data available
	Freezing point	No data available
	Boiling point	No data available
	Flash point	> 93 °C Closed cup
	Auto-ignition temperature	No data available
	Decomposition temperature	No data available
	Flammability (solid, gas)	No data available
	Vapour pressure	No data available
	Relative vapour density at 20 °C	No data available
	Relative density	No data available
	Density	2.92 g/cm <sup>3</sup> @ 20 °C
	Solubility	insoluble in water.
	Log Pow	No data available
	Viscosity, kinematic	No data available
	Viscosity, dynamic	No data available
	Explosive properties	Not applicable.
	Oxidising properties	No data available
	Explosive limits	No data available
9.2.	Other information	
	VOC (EU)	< 1 %
10. SI	ECTION 10: Stability and reactivity	
10.1.	Reactivity	The product is stable and non reactive under normal conditions of use, storage and transport.
10.2.	Chemical stability	Stable under normal conditions of use.
10.3.	Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
10.4.	Conditions to avoid	Avoid contact with hot surfaces. Heat. None under recommended storage and handling conditions (see section 7).

# 10.6. Hazardous decomposition products

During fire, gases hazardous to health may be formed. At a temperature of approximately 150°C a small amount of formaldehyde can be released by oxidative degradation. Thermal decomposition generates : Carbon oxides (CO, CO2). Silicon oxides. Metal oxides.

# 11. SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	Information on Effects: refer to section 4.

# 12. SECTION 12: Ecological information

# 12.1. Toxicity

	Ecology - general		Toxic to a	quatic life	with long la	asting effects.		
	Hazardous to the aqua	tic environment,	short-term (ac	ute)				
	Substance / Product	Trophic level	Species	Туре	Value	Duration	Remarks	
	Zinc oxide (1314-13-2)	algae	Pseudokirc hnerella subcapitat a	EC50	0.17 mg/	L 72 h	(OECD 201 method)	
		crustacea	Daphnia magna	EC50	0.481 mg	ı/L 48 h		
	Hazardous to the aqua	tic environment,	long-term (chi	onic)				
	Substance / Product	Trophic level	Species	Туре	Value	Duration	Remarks	
	Zinc oxide (1314-13-2)	algae		NOEC	0.017 mg/L	72 h		
2.2.	Persistence and deg	radability						
	No additional information	n available.						
2.3.	Bioaccumulative pot	tential						
	No additional information	n available.						
2.4.	Mobility in soil	Mobility in soil						
	No additional information	n available.						
2.5.	Results of PBT and vPvB assessment							
	TIM Adhesive L1 Component A							
	This substance/mixture	does not meet the	PBT criteria of	REACH r	egulation, a	nnex XIII.		
	This substance/mixture	does not meet the	vPvB criteria of	f REACH	regulation, a	annex XIII.		
2.6.	Other adverse effect	S						
	Other adverse effects			ation pote	ential, endo		zone depletion, photochemical global warming potential) are	
oducto	code: Ford Internal Ref : 502251		GB - en			Povision	date: 5/31/2021	6/12

# 13. SECTION 13: Disposal considerations

13.1.	Waste treatment methods	
	Regional legislation (waste)	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local regulations.
	Waste treatment methods	Collect and reclaim or dispose in closed containers at licensed waste disposal site. Do not contaminate ponds, waterways or ditches with chemical or used container. Do not allow this material to drain into sewers/water supplies. Dispose of contents/container in accordance with licensed collector's sorting instructions.
	Product/Packaging disposal recommendations	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
	Additional information	Dispose in accordance with all applicable regulations.
	European List of Waste (LoW) code	
		The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
	20 01 27*	paint, inks, adhesives and resins containing dangerous substances
	15 01 10*	packaging containing residues of or contaminated by dangerous substances

# 14. SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

# 14.1. UN number

UN-No. (ADR)	3077
UN-No. (IMDG)	3077
UN-No. (IATA)	3077
UN-No. (ADN)	3077
UN-No. (RID)	3077

# 14.2. UN proper shipping name

Proper Shipping Name (ADR)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)
Proper Shipping Name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)
Proper Shipping Name (IATA)	Environmentally hazardous substance, solid, n.o.s. (Zinc oxide)
Proper Shipping Name (ADN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)
Proper Shipping Name (RID)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)

# 14.3. Transport hazard class(es)

ADR	
Transport hazard class(es) (ADR)	9
Danger labels (ADR)	9
IMDG	
Transport hazard class(es) (IMDG)	9
Danger labels (IMDG)	9
ΙΑΤΑ	
Transport hazard class(es) (IATA)	9
Hazard labels (IATA)	9
ADN	
Transport hazard class(es) (ADN)	9
Danger labels (ADN)	9
	5

	RID Transport hazard class(es) (RID)	9
	Danger labels (RID)	9
14.4.		
	Packing group (ADR)	Ш
	Packing group (IMDG)	Ш
	Packing group (IATA)	111
	Packing group (ADN)	III
	Packing group (RID)	III
14.5.	Environmental hazards	
	Dangerous for the environment	Yes
	Marine pollutant	Yes
	Other information	No supplementary information available.
14.6.	Special precautions for user	
	Overland transport	
	Classification code (ADR)	M7
	Special provisions (ADR)	274, 335, 375, 601
	Limited quantities (ADR)	5kg
	Packing instructions (ADR)	P002, IBC08, LP02, R001
	Hazard identification number (Kemler No.)	90
	Tunnel restriction code (ADR)	-
	EAC code	2Z
	Transport by sea	
	Special provisions (IMDG)	274, 335, 966, 967, 969
	Limited quantities (IMDG)	5 kg
	Packing instructions (IMDG)	LP02, P002
	EmS-No. (Fire)	F-A
	EmS-No. (Spillage)	S-F
	Stowage category (IMDG)	A
	Air transport	
	PCA Excepted quantities (IATA)	E1
	PCA Limited quantities (IATA)	Y956
	PCA limited quantity max net quantity (IATA)	30kgG
	PCA packing instructions (IATA)	956
	PCA max net quantity (IATA)	400kg
	CAO packing instructions (IATA)	956
	CAO max net quantity (IATA)	400kg
	Special provisions (IATA)	A97, A158, A179, A197
	ERG code (IATA)	9L
	Inland waterway transport	
	Classification code (ADN)	M7
	Special provisions (ADN)	274, 335, 375, 601
	Limited quantities (ADN)	5 kg
	Rail transport	
	Classification code (RID)	M7
Product c	ode: Ford Internal Ref.: 502251	GB - en Rev

Special provisions (RID)	274, 335, 375, 601
Limited quantities (RID)	5kg
Packing instructions (RID)	P002, IBC08, LP02, R001
Hazard identification number (RID)	90

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# 15. SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU-Regulations** 

#### The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

•	
TIM Adhesive L1 Component A	3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
Contains no substance on the REACH can	ndidate list
Contains no REACH Annex XIV substance	95
VOC (EU)	< 1 %
Other information, restriction and prohibition regulations	Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. Directive 94/33/EC on the protection of young people at work, as amended. Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. For details, refer to section 3 and 8.

E2 Hazardous to the Aquatic Environment in Category Chronic 2

# Seveso Information

#### National regulations

No additional information available.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# 16. SECTION 16: Other information

None.	
Abbreviations and	d acronyms
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand
bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.

CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand
CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short- time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration

NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL	Specific concentration limit.
STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
Training advice	Normal use of this product shall imply use in accordance with the instructions on the packaging
Full text of H- and EUH-stat	ements
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1.
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1.
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2.
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
Classification and procedur [CLP]	re used to derive the classification for mixtures according to Regulation (EC) 1272/2008
Aquatic Chronic 2	H411 Calculation method

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

# Attachment to the Safety Data Sheet



Product Name:	TIM Adhesive L1 Component A		
Ford Int. Ref. No.:	502251	REVIS	SION DATE: 31.05.2021
Involved Products	:		
Finiscode	Part number	Container Size:	
. 1	MU7J M4G372 AA	100 ml	
Part of Kit: 2 543 437	MU7J M4G372 CA	TIM Adhesive Kit L1 - 2 Component	