

GREASE F-RFS



SAFETY DATA SHEET

Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

ISSUE DATE: 22.12.2021
REVISION DATE: 22.12.2021

VERSION: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Grease F-RFS
Product code : Ford Internal Ref.: 505805
SDS Number : 9308
Product use : Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Function or use category : Lubricants, Greases and Release Products

1.2.2. Uses advised against

Restrictions on use : None known

1.3. Details of the supplier of the safety data sheet

Supplier

Ford-Werke GmbH
Edsel-Ford-Str. 2-14
50769 Cologne
Germany
+49 221 90-33333
sdseu@ford.com

Distributor

Ford Motor Company Ltd.
Parts Distribution Centre
Royal Oak Way South
NN11 8NT Daventry, Northants
United Kingdom
+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations

Environmental hazards	Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412	Harmful to aquatic life with long lasting effects.
-----------------------	--	------	--

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations

Signal word -

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Notes
Benzene, mono-C10-13-alkyl derivs., distn. residues	84961-70-6 284-660-7 01-2119485843-26-XXXX	50 -< 100	Asp. Tox. 1, H304	UVCB
4,4'-methylene bis(dibutyldithiocarbamate)	10254-57-6 233-593-1 01-2119969655-20-XXXX	1 -< 5	Aquatic Chronic 4, H413	
Oleoyl sarcosine	701-177-3 01-2119488991-20-XXXX	0,1 -< 1	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 3, H412	UVCB
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	95-38-5 202-414-9 01-2119777867-13-XXXX	0,25 -< 1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1C, H314 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410	UVCB
Molybdenum Trioxide, Reaction products with bis[O,O-bis(2-ethylhexyl)] Hydrogen Dithiophosphate	- 947-946-9 01-2120772600-59-XXXX	0,1 -< 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 4, H413	UVCB

Comments : UVCB: Substances of Unknown or Variable composition, Complex reaction products or Biological materials

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Remove contaminated clothes. Never give anything by mouth to an unconscious person.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
- First-aid measures after skin contact : Wash skin with soap and water. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Consult an ophthalmologist if irritation persists. Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing.
- First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: : May produce an allergic reaction. May cause eye irritation. May cause skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.
Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO₂).

5.3. Advice for firefighters

Firefighting instructions : Move containers from fire area if it can be done without personal risk. Prevent runoff from entering water courses, sewers and basements.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information : Do not allow run-off from fire fighting to enter drains or water courses. Can be disposed as waste water according to local regulation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Stop the flow of material, if this is without risk. Move containers from fire area if it can be done without personal risk.
Methods for cleaning up : Large Spills: Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination. Small spills: Scrape up material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.
Incompatible products : Keep away from open flames, hot surfaces and sources of ignition. Strong acids. Strong bases. Strong oxidizing agent.
Special rules on packaging : Keep only in original container.

7.3. Specific end use(s)

Lubricants, Greases and Release Products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Benzene, mono-C10-13-alkyl derivs., distn. residues (84961-70-6)

DNEL/DMEL (Workers)

Long-term - local effects, dermal	3.15 mg/kg bw/day
Long-term - systemic effects, inhalation	2.2 mg/m ³

DNEL/DMEL (General population)

Long-term - systemic effects, oral	225 µg/kg bw/day
Long-term - systemic effects, inhalation	391 µg/m ³
Long-term - systemic effects, dermal	1.13 mg/kg bw/day

PNEC (Water)

PNEC aqua (freshwater)	0.001 mg/l
PNEC aqua (marine water)	0
PNEC aqua (intermittent, freshwater)	0.001 mg/l

PNEC (Sediment)

PNEC sediment (freshwater)	16.5 mg/kg dwt
PNEC sediment (marine water)	1.65 mg/kg dwt

PNEC (Soil)

PNEC soil	3.7 mg/kg dwt
-----------	---------------

PNEC (STP)

PNEC sewage treatment plant	2 mg/l
-----------------------------	--------

Oleoyl sarcosine

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	4.2 mg/kg bw/day
Long-term - systemic effects, inhalation	0.8 mg/m ³

DNEL/DMEL (General population)

Long-term - systemic effects, oral	1.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.4 mg/m ³
Long-term - systemic effects, dermal	1.5 mg/kg bodyweight/day

PNEC (Water)

PNEC aqua (freshwater)	0.004 mg/l
PNEC aqua (marine water)	0 mg/l
PNEC aqua (intermittent, freshwater)	0.004 mg/l

PNEC aqua (intermittent, marine water) 0 mg/l

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)

DNEL/DMEL (Workers)

Acute - local effects, dermal 2 mg/kg bw/day
Acute - local effects, inhalation 14 mg/m³
Long-term - systemic effects, dermal 0.06 mg/kg bw/day
Long-term - systemic effects, inhalation 0.46 mg/m³

PNEC (Water)

PNEC aqua (freshwater) 0 mg/l
PNEC aqua (marine water) 0 mg/l
PNEC aqua (intermittent, freshwater) 0

PNEC (Sediment)

PNEC sediment (freshwater) 0.376 mg/kg dwt
PNEC sediment (marine water) 0.038 mg/kg dwt

PNEC (Soil)

PNEC soil 0.075 mg/kg dwt

PNEC (STP)

PNEC sewage treatment plant 0.26 mg/l

Molybdenum Trioxide, Reaction products with bis[O,O-bis(2-ethylhexyl) Hydrogen Dithiophosphate (-)

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal 1.4 mg/kg bodyweight/day
Long-term - systemic effects, inhalation 4.93 mg/m³

DNEL/DMEL (General population)

Long-term - systemic effects, oral 0.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation 0.87 mg/m³
Long-term - systemic effects, dermal 0.5 mg/kg bodyweight/day

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

8.2.2. Personal protection equipment

Personal protective equipment:

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. EN 166. Safety goggles recommended during refilling. Safety glasses with side shields

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. EN 374. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove

Material	Permeation	Thickness (mm)	Comments
Viton	6 (> 480 minutes)	0,7	EN ISO 374 Glove recommendation: Vitoject® 890 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Viton	6 (> 480 minutes)	0,7	EN ISO 374 Glove recommendation: Vitoject® 890 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.

Other skin protection

Materials for protective clothing:

Wear suitable protective clothing.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

Thermal hazard protection:

Wear appropriate thermal protective clothing, when necessary.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Paste.
Colour	: Yellow.
Odour	: Characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.95 g/ml @ 25 °C
Solubility	: insoluble in water.
Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

9.2. Other information

VOC (EU) : Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Based on available data, the classification criteria are not met

Acute toxicity (dermal) : Based on available data, the classification criteria are not met

Acute toxicity (inhalation) : Based on available data, the classification criteria are not met

Grease F-RFS	
ATE CLP (oral)	> 2000 mg/kg bodyweight
ATE CLP (vapours)	> 20 mg/l
Oleoyl sarcosine	
LC50 Inhalation - Rat (Dust/Mist)	2.3 mg/l/4h
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)	
ATE CLP (oral)	500 mg/kg bodyweight
Skin corrosion/irritation	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Based on available data, the classification criteria are not met
Carcinogenicity	: Based on available data, the classification criteria are not met (All hydrocarbons in this mixture: Note L is applicable (DMSO <3%), therefore no classification as carcinogen)
Reproductive toxicity	: Based on available data, the classification criteria are not met
STOT-single exposure	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Based on available data, the classification criteria are not met
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Based on available data, the classification criteria are not met
Grease F-RFS	
Viscosity, kinematic	Not applicable

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Oleoyl sarcosine

LC50 - Fish [1]	> 0.43 mg/l D. rerio (OECD 203)
EC50 - Crustacea [1]	0.43 mg/l Daphnia magna (OECD 202)
EC50 72h - Algae [1]	> 4.4 mg/l Desmodesmus subspicatus (OECD 201)

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)

LC50 - Fish [1]	0.3 mg/l 96h, Brachydanio rerio (zebra-fish)
EC50 - Crustacea [1]	0.163 mg/l 48h, Daphnia magna (Water flea)
EC50 72h - Algae [1]	0.03 mg/l (OECD 201 method)

12.2. Persistence and degradability

Oleoyl sarcosine

Biodegradation	85.2 % 28d (OECD 301 B)
----------------	-------------------------

12.3. Bioaccumulative potential

Oleoyl sarcosine

Log Kow	3.5 – 4.2
---------	-----------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Grease F-RFS

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

Component

4,4'-methylene bis(dibutylthiocarbamate) (10254-57-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.
---	---

12.6. Other adverse effects

Other adverse effects : No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Do not allow this material to drain into sewers/water supplies.
European List of Waste (LoW) code	: The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. 12 01 12* - spent waxes and fats 15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID
Not regulated for transport

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)

Reference code	Applicable on
3(b)	Benzene, mono-C10-13-alkyl derivs., distn. residues ; Oleoyl sarcosine ; 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol ; Molybdenum Trioxide, Reaction products with bis[O,O-bis(2-ethylhexyl) Hydrogen Dithiophosphate
3(c)	4,4'-methylene bis(dibutylthiocarbamate) ; Oleoyl sarcosine ; 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol ; Molybdenum Trioxide, Reaction products with bis[O,O-bis(2-ethylhexyl) Hydrogen Dithiophosphate

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : Not applicable

Other information, restriction and prohibition regulations : Directive 94/33/EC on the protection of young people at work, as amended is applicable. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. For details, refer to section 3 and 8.

Directive 2012/18/EU (SEVESO III)

Seveso Additional information : Not applicable

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

None.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit

PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
EUH208	Contains Molybdenum Trioxide, Reaction products with bis[O,O-bis(2-ethylhexyl)] Hydrogen Dithiophosphate. May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Aquatic Chronic 3	H412	Calculation method
-------------------	------	--------------------

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Grease F-RFS

Ford Int. Ref. No.: 505805

REVISION DATE: 22.12.2021

Involved Products:

	Finiscode	Part number	Container Size:
.	1 2 609 014	MU7J 19G209 JA	10 g